

KINTAMPO SOUTH DISTRICT HOSPITAL

INNOVATION AT ANC
END OF YEAR DISTRICT LEARNING SESSION


PRESENTED BY MISS EUPHEMIA MAWAH

GAP IDENTIFIED

- Low Percentage (%) of pregnant women on Intermittent preventive treatment, at least three doses of SP (IPTp3) according to national policy.
- **NATIONAL TARGET – 60.0%**
- **FACILITY PERFORMANCE(2021) – 37%**

GAP ANALYSIS


Percentage (%) of pregnant women on IPTp3 (2018-2022)



AIM STATEMENT

- To increase the percentage (%) of pregnant women on IPTp3 at Kintampo South District Hospital from **37%** to **60%** by December 2023.

PROBLEM ANALYSIS USING FISH BONE



PRIORITIZATION MATRIX

Factors	Important to Patient Outcome (1-5)	Affordable in terms of Time and Resources (1-5)	Easy to Measure (1-5)	Under Control of Team Members (1-5)	Total Score
Superstitious beliefs	4	1	2	2	9
Dot administration of SP for IPTp	4	3	5	1	13
Financial constraints	4	3	3	2	12
Long distance to health facility	5	1	4	1	11
High defaulter rate	4	4	5	5	18

Root Cause Analysis (WHYs)

- High Defaulter rate



- Defaulters not followed




- Defaulters not detected timeously



- No Defaulter tracing system


CHANGE IDEA

- Defaulter Tracing System
 - Identify Defaulters
 - Contact/Call defaulters
 - Document Outcomes
 - Follow up
- Change Idea tested & Adopted



RESULTS

Percentage (%) of pregnant women on IPTp3



- THANK YOU